SAFETY DATA SHEET



1. Identification

Product identifier KIT FOR THE PREPARATION OF TECHNETIUM Tc99m SESTAMIBI INJECTION

Other means of identification

SDS number MHSMB

Synonyms Sestamibi imaging agent.

Recommended use The content of this kit as sold is non radioactive. Kit for Intravenous use only. Technetium Tc 99m

Sestamibi, is a myocardial perfusion agent indicated for detecting coronary artery disease by localizing myocardial ischemia (reversible defects) and infarction (non-reversible defects) as well as evaluating myocardial function and developing information for use in patient management

decisions.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Supplier

Company name Curium US LLC
Address 2703 Wagner Place

Maryland Heights, MO 63043

United States

Telephone number

Customer Service 888-744-1414

E-mail

Emergency telephone 24 Ho

number:

24 Hour Emergency 314-595-3700

Chemtrec 800-424-9300

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Sensitization, skin Category 1

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement May cause an allergic skin reaction.

Precautionary statement

Prevention Avoid breathing dust. Wear protective gloves. Contaminated work clothing must not be allowed

out of the workplace.

Response If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

Storage Store away from incompatible materials.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information This safety data sheet covers the content of the kit as sold (non radioactive) prior to reconstitution.

Kit for Intravenous use only.

Possible dust explosion hazard but because of the small quantity handled this classification does

not apply.

KIT FOR THE PREPARATION OF TECHNETIUM Tc99m SESTAMIBI INJECTION 946944 Version #: 01 Revision date: - Issue date: 06-December-2018

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
D-MANNITOL	69-65-8	80
SODIUM CITRATE	68-04-2	10
COPPER TETRAMIBI TETRAFLUOROBORATE	103694-84-4	5
L-CYSTEINE HYDROCHLORIDE	52-89-1	5
STANNOUS CHLORIDE DIHYDRATE	10025-69-1	< 1

Composition comments

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Kit for the Preparation of Technetium Tc 99m Sestamibi Injection is supplied as a 10 mL vial in a kit of five (5) (NDC # 69945-092-20) or a carton of thirty (30) (NDC # 69945-092-40), sterile and non-pyrogenic. Prior to lyophilization the pH is between 5.6-5.7. The contents of the vial are lyophilized and stored under nitrogen. Protect from light prior to reconstitution. Store at 15° to 25°C (59° to 77°F) before and after reconstitution.

4. First-aid measures

Inhalation

Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact

Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.

Eye contact

Rinse with water. Get medical attention if irritation develops and persists.

Ingestion

Rinse mouth. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Dermatitis. Rash. May cause an allergic skin reaction. Technetium Tc 99m Sestamibi has been rarely associated with acute severe allergic and anaphylactic events of angioedema and generalized urticaria. In some patients the allergic symptoms developed on the second injection during Technetium Tc 99m Sestamibi imaging.

The following adverse reactions have been reported in > 0.5% of patients: signs and symptoms consistent with seizure occurring shortly after administration of the agent; transient arthritis; angioedema, arrhythmia, dizziness, syncope, abdominal pain, vomiting, and severe hypersensitivity characterized by dyspnea, hypotension, bradycardia, asthenia, and vomiting within two hours after a second injection of Technetium Tc 99m Sestamibi. A few cases of flushing, edema, injection site inflammation, dry mouth, fever, pruritis, rash, urticaria and fatigue have also been attributed to administration of the agent.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media

Water. Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

As with most organic solids, fire is possible at elevated temperatures or by contact with an ignition source. Mannitol: Minimum explosible concentration = 0.065 g/l; Maximum explosion pressure: 97 lb/sq. in, Mannitol: Flash Point: > 149C (300F) Minimum dust cloud ignition temperature: 460C (860F). During fire, hazardous combustion products are released that may include: Carbon oxides (COx). Metal oxides. Halogenated compounds.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions

In case of fire do not breath fumes. Use water spray to cool unopened containers.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Wear appropriate personal protective equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Avoid dust formation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop the flow of material, if this is without risk. Collect in containers and seal securely. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Do not get in eyes, on skin, or on clothing. Avoid generation and spreading of dust. When using, do not eat, drink or smoke. Protect from light. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Use care in handling/storage. Avoid release to the environment.

Conditions for safe storage, including any incompatibilities

Store at controlled room temperature 15-25°C. The contents of the vial are lyophilized and stored under nitrogen. Keep material from heat, light, and flame. Store locked up. Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

Storage and disposal of product should be controlled in a manner which is in compliance with the appropriate regulations of the federal or state government agency authorized to license the use of this radionuclide.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	
STANNOUS CHLORIDE DIHYDRATE (CAS 10025-69-1)	PEL 2 mg/m3		
US. ACGIH Threshold Limit Values Components	Туре	Value	
STANNOUS CHLORIDE TWA DIHYDRATE (CAS 10025-69-1)		2 mg/m3	
US. NIOSH: Pocket Guide to Chem	ical Hazards		

STANNOUS CHLORIDE DIHYDRATE (CAS

2 mg/m3

Biological limit values

10025-69-1)

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

If engineering measures are not sufficient to maintain concentrations of dust particulates below the Occupational Exposure Limit (OEL), suitable respiratory protection must be worn. Ventilation should be sufficient to effectively remove and prevent buildup of any dusts or fumes that may be generated during handling or thermal processing.

Value

Individual protection measures, such as personal protective equipment

Eye/face protection If contact is likely, safety glasses with side shields are recommended.

Type

TWA

Skin protection

Hand protection Chemical resistant gloves. Suitable gloves can be recommended by the glove supplier.

Skin protection

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protectionNo personal respiratory protective equipment normally required. **Thermal hazards**Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Appearance

Physical state Solid.

Form Solid. Powder.

Color White.

Odor Slight garlic-like odor.

Odor threshold Not available.

PH Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling Not available.

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) Moderately soluble (1.0 - <10%)

Partition coefficient

Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Other information

Explosive propertiesNot explosive. **Oxidizing properties**Not oxidizing.

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Exposure to light. Heat, flames and sparks. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents. Strong acids. Strong bases.

Hazardous decomposition No hazardous decomposition products are known.

products

11. Toxicological information

Information on likely routes of exposure

Inhalation May be harmful if inhaled. Large quantities of inhaled material could cause irritation of the upper

respiratory tract. A tickling cough is a common symptom.

Skin contact May be harmful in contact with skin. May be irritating to the skin. May cause an allergic skin

reaction.

Eye contact

Direct contact with eyes may cause temporary irritation.

Ingestion

May be harmful if swallowed. Swallowing may cause gastrointestinal irritation. Nausea. Diarrhea. Large doses produce vomiting, chills, dizziness, chest pain heart failure and pulmonary edema. Large doses may produce fluid and electrolyte imbalance, including circulatory overload and acidosis at high levels.

Symptoms related to the physical, chemical and toxicological characteristics Dermatitis. Rash. May cause an allergic skin reaction. Technetium Tc 99m Sestamibi has been rarely associated with acute severe allergic and anaphylactic events of angioedema and generalized urticaria. In some patients the allergic symptoms developed on the second injection during Technetium Tc 99m Sestamibi imaging.

The following adverse reactions have been reported in > 0.5% of patients: signs and symptoms consistent with seizure occurring shortly after administration of the agent; transient arthritis; angioedema, arrhythmia, dizziness, syncope, abdominal pain, vomiting, and severe hypersensitivity characterized by dyspnea, hypotension, bradycardia, asthenia, and vomiting within two hours after a second injection of Technetium Tc 99m Sestamibi. A few cases of flushing, edema, injection site inflammation, dry mouth, fever, pruritis, rash, urticaria and fatigue have also been attributed to administration of the agent.

Information on toxicological effects

Acute toxicity May cause an allergic skin reaction.

Components **Species Test Results** STANNOUS CHLORIDE DIHYDRATE (CAS 10025-69-1)

F	١c	;ι	It	ε
-	-	-	=	-
	•			

Oral

LD50 Mouse 1200 mg/kg Rabbit 10 g/kg 700 mg/kg Rat Other LD100 Dog 159 mg/kg Mouse 66 mg/kg

Skin corrosion/irritation

LD50

Due to partial or complete lack of data the classification is not possible.

Serious eye damage/eye

irritation

May cause eye irritation.

Rat

Respiratory or skin sensitization

Respiratory sensitization

Due to partial or complete lack of data the classification is not possible.

Skin sensitization

May cause an allergic skin reaction.

Germ cell mutagenicity

For the content of kit as sold prior to reconstitution (non radioactive): No data available to indicate

52 mg/kg

product or any components present at greater than 0.1% are mutagenic or genotoxic.

For the content of kit as sold prior to reconstitution (non radioactive): This product is not

The active intermediate. Cu(MIBI)4BF4, was evaluated for genotoxic potential in a battery of five tests. No genotoxic activity was observed in the Ames, CHO/HPRT and sister chromatid exchange tests (all in vitro). At cytotoxic concentrations (>20 µg/mL), an increase in cells with chromosome aberrations was observed in the in vitro human lymphocyte assay. Cu(MIBI)4BF4 did not show genotoxic effects in the in vivo mouse micronucleus test at a dose which caused systemic and

bone marrow toxicity (9 mg/kg, > 600 X. maximal human dose).

considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

NTP Report on Carcinogens

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not regulated.

Reproductive toxicity Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -Due to partial or complete lack of data the classification is not possible.

single exposure

Carcinogenicity

Specific target organ toxicity -

repeated exposure

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible. **Aspiration hazard**

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

There are no data on the ecotoxicity of this product. **Ecotoxicity**

Components **Species Test Results**

STANNOUS CHLORIDE DIHYDRATE (CAS 10025-69-1)

Aquatic

Crustacea EC50 Water flea (Daphnia magna) 55 mg/l, 48 hours

Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

D-MANNITOL (CAS 69-65-8) -3.1

Mobility in soil No data available.

Other adverse effects An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

13. Disposal considerations

For the content of kit as sold prior to reconstitution (non radioactive): Dispose in accordance with **Disposal instructions**

> all applicable regulations. If medical waste is involved, such as blood, blood products, or sharps, the waste must be handled as a biohazard and disposed of accordingly. If not a biohazard, consult

local, state and federal regulations for proper disposal.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations.

Contaminated packaging Dispose in accordance with all applicable regulations.

14. Transport information

DOT

UN number UN2915

UN proper shipping name Radioactive material, Type A package

Transport hazard class(es)

7 Class 8 Subsidiary risk Label(s) 7

Packing group Not available.

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Special provisions A56, W7, W8

Packaging exceptions None

Packaging non bulk 415, 418, 419 Packaging bulk 415, 418, 419

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to

Annex II of MARPOL 73/78 and

the IBC Code

Not applicable.

15. Regulatory information

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication **US** federal regulations

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not regulated.

Toxic Substances Control Act (TSCA)

One or more components of the mixture are not on the TSCA 8(b) inventory or are designated

"inactive".

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

Classified hazard

Respiratory or skin sensitization

categories

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. Massachusetts RTK - Substance List

STANNOUS CHLORIDE DIHYDRATE (CAS 10025-69-1)

US. New Jersey Worker and Community Right-to-Know Act

STANNOUS CHLORIDE DIHYDRATE (CAS 10025-69-1)

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 2016 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

STANNOUS CHLORIDE DIHYDRATE (CAS 10025-69-1)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	No

Country(s) or region Inventory name On inventory (yes/no)*

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 06-December-2018

Revision date - 01

Disclaimer Curium provides the information contained herein in good faith but makes no representation as to

its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals

receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. CURIUM MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS. ACCORDINGLY, CURIUM WILL NOT BE RESPONSIBLE FOR DAMAGES RESULTING FROM USE OF OR RELIANCE UPON THIS INFORMATION.

KIT FOR THE PREPARATION OF TECHNETIUM Tc99m SESTAMIBI INJECTION 946944 Version #: 01 Revision date: - Issue date: 06-December-2018