


SHIELDING EFFICIENCY



Recognizing The Difference

Curium is the **ONLY** North American generator manufacturer that offers Depleted Uranium as a shielding option.



* measurement of mRem/hr at 1 meter from package surface

Information on file at Curium, Maryland Heights, MO

As Low As Reasonably Achievable (A.L.A.R.A.) is more achievable with Curium's Depleted Uranium shielding.

When using the Transportation Index (TI) of a 7.5 Ci generator as the reference standard, the shielding capabilities of Depleted Uranium are 5 times greater than lead or tungsten. The graph illustrates the difference a DU shield can have on radiation safety.

INDICATIONS AND USAGE

The Ultra-Technekow™ V4 generator is a source of sodium pertechnetate Tc 99m for use in the preparation of FDA-approved diagnostic radiopharmaceuticals, as described in the labeling of these diagnostic radiopharmaceutical kits.

IMPORTANT RISK INFORMATION

Care should be taken to minimize radiation exposure to patients and occupational workers.

For additional Important Risk Information, see Full Prescribing Information enclosed.

INVESTMENT BY SHIELD TYPE




Investing In Safety

Our investment in depleted uranium helps improve your radiation safety program.

Curium has led the industry with significant investment in DU shields for our 5.0 Ci through 19.0 Ci generator offerings. This improved shielding can help provide you and your employees a low exposure alternative to lead or tungsten.



Amount Invested Per Generator (\$)



IMPORTANT RISK INFORMATION

Care should be taken to minimize radiation exposure to patients and occupational workers.

For additional Important Risk Information, see Full Prescribing Information enclosed.

FOR MORE INFORMATION, CONTACT:

- Customer Service, 888.744.1414
- Product Monitoring, 866.789.2211
- www.curiumpharma.com

111 Westport Plaza | Suite 800 | St. Louis, MO 63146

